

**REMARKS**

In the final Office Action, the Examiner rejects claims 1, 3, 16, 19, 22-25, and 29 under 35 U.S.C. § 103(a) as unpatentable over GARDNER et al. (“Techniques for Finding Ring Covers in Survivable Networks,” Proceedings on IEEE GLOBECOM; 1994; hereinafter GARDNER) in view of GROVER et al. (U.S. Patent No. 6,819,662; hereinafter GROVER); rejects claims 2, 9-13, 17, and 30 under 35 U.S.C. § 103(a) as unpatentable over GARDNER in view of GROVER and CHOW et al. (U.S. Patent No. 7,133,410; hereinafter CHOW); and rejects claims 4-8, 18, 21, and 26-28 under 35 U.S.C. § 103(a) as unpatentable over GARDNER in view of GROVER and KENNINGTON et al. (“Optimization Based Algorithms for Finding Minimal Cost Ring Covers in Survivable Networks, “*Computational Optimization and Applications*, 14; 1999; hereinafter KENNINGTON). Claims 1-13, 16-19, and 21-30 are pending.

**Rejection under 35 U.S.C. § 103(a) based on GARDNER and GROVER**

Claims 1, 3, 16, 19, 22-25, and 29 stand rejected under 35 U.S.C. § 103(a) as allegedly unpatentable over GARDNER in view of GROVER. Applicants respectfully traverse this rejection.

Independent claim 1 recites a processor-implemented method for designing a ring cover candidate for a network. The method includes receiving, at the processor, network configuration information and traffic demand information for the network; generating, by the processor, a plurality of ring cover candidates, each ring cover candidate including a plurality of rings, based on the network configuration information and the traffic demand information, each of the rings including a plurality of network spans, where the generating the ring cover candidate includes generating the plurality of ring cover

candidates by using a different process to generate each of the ring cover candidates; counting, for each ring cover candidate of the plurality of ring cover candidates, a number of loaded network spans covered by the ring cover candidate; and selecting one of the plurality of ring cover candidates as a recommended ring cover candidate by selecting the one of the ring cover candidates having a highest number of loaded network spans.

GARDNER and GROVER, whether taken alone or in any reasonable combination, do not disclose or suggest one or more of these features.

For example, GARDNER and GROVER do not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover candidate by selecting the one of the ring cover candidates having a highest number of loaded network spans, as recited in claim 1. The Examiner admits that GARDNER does not disclose this feature and relies on the abstract; column 10, lines 24-38; column 29, lines 37-38 and 51-59; and column 32, lines 12-15 and 35-39 of GROVER as allegedly disclosing this feature of claim 1 (final Office Action, pp. 3-4). Applicants respectfully disagree with the Examiner's interpretation of GROVER.

In the abstract, GROVER discloses:

A method of connecting a telecommunications network, in which the network is formed of plural nodes connected by plural spans. Each node has a nodal switching device for making connections between adjacent spans meeting at the node. Method steps A-F are followed. A) Select a set of candidate rings, each candidate ring being formed of nodes connected by spans, the candidate rings each being capable of serving a number of demands and having a ring construction cost C. B) Assess the total transport utility U of each candidate ring, wherein the total transport utility is a measure of at least the number of demands served by the respective candidate ring. C) Assess the construction cost of each candidate ring. D) Calculate a ratio formed of U/C for each candidate ring. E) Choose, from the set of candidate rings, a best set of candidate rings, wherein candidate rings in the best set of candidate rings have a higher ratio of U/C than candidate rings not in the best set. F) Forming rings in the network that are selected from the best set of candidate simple rings.

This section of GROVER discloses choosing a best set of candidate rings based on the ratio of total transport utility (U) to ring construction cost (C) for each candidate ring. This section of GROVER does not disclose selecting a ring cover candidate based on a number of loaded network spans. In fact, this section of GROVER does not disclose loaded network spans at all. Therefore, this section of GROVER does not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover candidate by selecting the one of the ring cover candidates having a highest number of loaded network spans, as recited in claim 1.

At column 10, lines 24-38, GROVER discloses:

More specifically, a simple demand route sorting method orders, by decreasing cycle involvement, the demand routes that have at least one demand route segment in common with the cycle being loaded. Cycle involvement is defined as the bandwidth distance product of the not-yet-loaded demand route segments which intersect with the cycle's trajectory. The main premise of this rule is the hypothesis that the longer a large demand route is carried on a cycle, the better suited the demand route is for inclusion in the ring candidate formed from the cycle being loaded. The more of the 'well-suited' demand routes a ring candidate can carry, the better utilized and hence more efficient the resulting ring candidate will be. This rule was developed as a simplification of the complex demand route sorting strategy presented next.

This section of GROVER discloses that the more of the 'well-suited' demand routes a ring candidate can carry, the better utilized and hence more efficient the resulting ring candidate will be. This section of GROVER further discloses that the longer a large demand route is carried on a cycle, the better suited the demand route is for inclusion in the ring candidate formed from the cycle being loaded. This section of GROVER does not disclose selecting a ring cover candidate based on a number of loaded network spans. Rather, this section of GROVER discloses selecting a demand route for inclusion in the ring candidate. Therefore, this section of GROVER does not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover

candidate by selecting the one of the ring cover candidates having a highest number of loaded network spans, as recited in claim 1.

At column 29, lines 34-38, GROVER discloses that cycle related statistics include transition count, balance transition count, add/drop count, links on count, and ADM count and that span-related statistics include remaining bandwidth, links on count, and route count. This section of GROVER has nothing to do with selecting a ring cover candidate. Rather, this section of GROVER merely outlines statistics related to cycles and spans. Therefore, this section of GROVER does not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover candidate by selecting the one of the ring cover candidates having a highest number of loaded network spans, as recited in claim 1.

At column 29, lines 55-67, GROVER discloses:

FIG. 21 shows the relationships between the 4 main data entities that RingBuilder.TM. operates on. In the context of a network, RingBuilder.TM. loads segments of routed demands (routes) 158 onto each cycle 156, forming a loaded cycles 164 for each cycle 156. The loading heuristic attempts to pick the best possible set of demand segments in order to make the loaded cycle 164 as appealing as possible to the cycle evaluator. The cycle evaluator chooses the best loaded cycle, and that cycle becomes a ring in the network design.

This section of GROVER discloses that the loaded heuristic attempts to pick the best possible set of demand segments in order to make a loaded cycle as appealing as possible to a cycle evaluator. This section of GROVER further discloses that the cycle evaluator chooses the best loaded cycle, and that cycle becomes a ring in the network design. This section of GROVER does not disclose that the best loaded cycle includes having a highest number of loaded network spans. In fact, as noted above, GROVER discloses choosing a best set of candidate rings based on the ratio of total transport utility (U) to ring construction cost (C) for each candidate ring (abstract). Therefore, this section of

GROVER does not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover candidate by selecting the one of the ring cover candidates having a highest number of loaded network spans, as recited in claim 1.

At column 32, lines 12-15, GROVER discloses that, once all of the cycles have been evaluated, the best cycle found is committed as a ring in the design in the Commit Ring module, which updates the persistent route data structure and also the span2Route data structure. This section of GROVER does not disclose selecting a ring cover candidate based on a number of loaded network spans. In fact, this section of GROVER does not disclose loaded network spans at all. Therefore, this section of GROVER does not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover candidate by selecting the one of the ring cover candidates having a highest number of loaded network spans, as recited in claim 1.

At column 32, lines 35-39, GROVER discloses that the getRoutes function creates a list of routes for a cycle being loaded by obtaining a list of spans comprising the cycle and then, for each cycle span, obtaining from the route list the set of routes crossing the span. This section of GROVER discloses creating a list of routes for a cycle being loaded and does not disclose or suggest selecting a ring cover candidate. Therefore, this section of GROVER does not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover candidate by selecting the one of the ring cover candidates having a highest number of loaded network spans, as recited in claim 1.

In response to similar arguments made in a previous response, the Examiner alleges that GROVER discloses “determining the number of loaded spans covered by the ring candidate...Grover goes on to further suggest that the more demand routes a ring

candidate can carry, the better utilized and hence more efficient the resulting ring candidate will be... Thus in determining the best ring candidate to select, Grover suggests the system should consider choosing the ring candidate with the highest number of demand routes” (final Office Action, pg. 16). Applicants disagree with the Examiner’s allegation.

As noted above, GROVER discloses that the more of the ‘well-suited’ demand routes a ring candidate can carry, the better utilized and hence more efficient the resulting ring candidate will be (column 10, lines 24-38). GROVER further discloses choosing a best set of candidate rings based on the ratio of total transport utility (U) to ring construction cost (C) for each candidate ring (abstract). GROVER in no way discloses or suggests that a ring candidate with the highest number of demand routes is the same as the ring cover candidate having a highest number of loaded network spans. Furthermore, even if a ring candidate with the highest number of demand routes could reasonably be construed as corresponding to the ring cover candidate having a highest number of loaded network spans (a point with Applicants do not agree), GROVER does not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover candidate by selecting the one of the ring cover candidates having a highest number of demand routes, as would be required by GROVER based on the Examiner’s interpretation of claim 1. Rather, GROVER specifically discloses choosing candidate rings based on the ratio of total transport utility (U) to ring construction cost (C) for each candidate ring. Therefore, GROVER does not disclose or suggest selecting one of a plurality of ring cover candidates as a recommended ring cover candidate by selecting the

one of the ring cover candidates having a highest number of loaded network spans, as recited in claim 1.

For at least the foregoing reasons, Applicants submit that claim 1 is patentable over GARDNER and GROVER, whether taken alone or in any reasonable combination.

Claim 3 depends from claim 1. Therefore, this claim is patentable over GARDNER and GROVER, whether taken alone or in any reasonable combination, for at least the reasons given above with respect to claim 1.

Independent claims 16, 23, and 24 recite features similar to, yet possibly of different scope than, features recited above with respect to claim 1. Therefore, these claims are patentable over GARDNER and GROVER, whether taken alone or in any reasonable combination, for at least reasons similar to the reasons given above with respect to claim 1.

Claims 19 and 22 depend from claim 16. Therefore, these claims are patentable over GARDNER and GROVER, whether taken alone or in any reasonable combination, for at least the reasons given above with respect to claim 16.

Claims 25 and 29 depend from claim 24. Therefore, these claims are patentable over GARDNER and GROVER, whether taken alone or in any reasonable combination, for at least the reasons given above with respect to claim 24.

**Rejection under 35 U.S.C. § 103(a) based on GARDNER, GROVER, and CHOW**

Claims 2, 9-13, 17, and 30 stand rejected under 35 U.S.C. § 103(a) as unpatentable over GARDNER in view of GROVER and CHOW. Applicants respectfully traverse this rejection.

Claims 2 and 9-13 depend from claim 1; claim 17 depends from claim 16; and claim 30 depends from claim 24. Without acquiescing in the Examiner's rejection of claims 2, 9-13, 17, and 30, Applicants respectfully submit that the disclosure of CHOW does not remedy the deficiencies in the disclosures of GARDNER and GROVER set forth above with respect to claims 1, 16, and 24. Therefore, claims 2, 9-13, 17, and 30 are patentable over GARDNER, GROVER, and CHOW, whether taken alone or in any reasonable combination, for at least the reasons given above with respect to claims 1, 16, and 24. Moreover, claims 2, 9-13, 17, and 30 recite additional features not disclosed or suggested by GARDNER, GROVER, and CHOW.

**Rejection under 35 U.S.C. § 103(a) based on GARDNER, GROVER, and  
KENNINGTON**

Claims 4-8, 18, 21, and 26-28 stand rejected under 35 U.S.C. § 103(a) as unpatentable over GARDNER in view of GROVER and KENNINGTON. Applicants respectfully traverse this rejection.

Claims 4-8 depend from claim 1; claims 18 and 21 depend from claim 16; and claims 26-28 depend from claim 24. Without acquiescing in the Examiner's rejection of claims 4-8, 18, 21, and 26-28, Applicants respectfully submit that the disclosure of KENNINGTON does not remedy the deficiencies in the disclosures of GARDNER and GROVER set forth above with respect to claims 1, 16, and 24. Therefore, claims 4-8, 18, 21, and 26-28 are patentable over GARDNER, GROVER, and CHOW, whether taken alone or in any reasonable combination, for at least the reasons given above with respect to claims 1, 16, and 24. Moreover, these claims recite additional features not disclosed or suggested by GARDNER, GROVER, and CHOW.

For example, claim 8 recites generating a first ring cover candidate by using cheapest ones of the rings formed on loaded network spans, generating a second ring cover candidate by using cheapest ones of the rings formed on a maximum number of uncovered network spans, and generating a third ring cover candidate by using cheapest ones of the rings from the first ring cover candidate. GARDNER, GROVER, and CHOW, whether taken alone or in any reasonable combination, do not disclose or suggest one or more of these features.

For example, GARDNER, GROVER, and CHOW do not disclose or suggest generating a first ring cover candidate by using cheapest ones of the rings formed on loaded network spans and generating a second ring cover candidate by using cheapest ones of the rings formed on a maximum number of uncovered network spans. The Examiner has not pointed to any sections of GARDNER, GROVER, or CHOW as disclosing these features. As such, a *prima facie* case of obviousness has not been established with regard to claim 8.

For at least this additional reason, Applicants submit that claim 8 is patentable over GARDNER, GROVER, and CHOW, whether taken alone or in any reasonable combination.

### **Conclusion**

In view of the foregoing remarks, Applicants respectfully requests the Examiner's reconsideration of the application and the timely allowance of the pending claims.

While the present application is now believed to be in condition for allowance, should the Examiner find some issue to remain unresolved, or should any new issues arise which could be eliminated through discussions with Applicants' representative, then

the Examiner is invited to contact the undersigned by telephone to expedite prosecution of the application.

As Applicants' remarks with respect to the Examiner's rejections are sufficient to overcome these rejections, Applicants' silence as to assertions by the Examiner in the Office Action or certain requirements that may be applicable to such assertions (e.g., whether a reference constitutes prior art, reasons to modify a reference and/or to combine references, assertions as to dependent claims, etc.) is not a concession by Applicants that such assertions are accurate or such requirements have been met, and Applicants reserve the right to analyze and dispute such assertions/requirements in the future.

To the extent necessary, a petition for an extension of time under 37 C.F.R. § 1.136 is hereby made. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account No. 50-1070 and please credit any excess fees to such deposit account.

Respectfully submitted,

HARRITY & HARRITY, LLP

By: /Meagan S. Walling, Reg. No 60112/  
Meagan S. Walling  
Reg. No. 60,112

Date: June 4, 2010

11350 Random Hills Road  
Suite 600  
Fairfax, VA 22030  
(571) 432-0800

Customer Number: 25537